




Fishel







Fisire 3

Application ID	402
Low Noise Amplifier	404
Mixer	406
Local Oscillator/IF	408
Analog Filter Parameters	
•	410
ADC Sample Rate	416
ADC Precision	415
Numerical Oscillator/Digital IF	420
Digital Filter Coefficients	422
Digital Filter Taps	424
Analog Interface	426
Timing and Formatting	428

Figure 4A

Application ID	452
Power Amplifier Driver	454
Mixer	456
Local Oscillator/IF	458
Analog Filter Parameters	
	460
DAC Sample Rate	466
DAC Precision	468
Numerical Oscillator/Digital IF	470
Digital Filter Coefficients	472
Digital Filter Taps	474
Analog Interface	476

Figure 4B

STFFT 500	
PECKING ALKACKA WINDOWS	576
CONFIRM ASPLICATION TARLES	<i>L.</i>
Chick box Superior	
JAME A PERSATION TO CHETEL !	50 in
TIGHT 5	
START 760	Ci
RECENTE LEST IT IG ON EXAMPLES	602
MOKUP APPLIANTION FIRMETHE	00° 1
LOAD MELLING PARAMETERS TO CONFIGNIF LL VICES	
Spire W. M. P. P. Separation	for any control of the state of
F. V. J. F.	





FIGURE 7



Fisue 8